



“Our Name Says It All”



LEATHER PROTECTOR GLOVES

Voltgard® Leather Protectors are designed for electrical utilities, contractors, telecom companies, municipalities, and industrial facilities to wear over rubber insulating gloves to extend their life and provide protection to the gloves against cuts, abrasions and punctures.

FEATURES & BENEFITS

- ✓ All Voltgard Leather Protector Gloves are crafted by leather glove specialists to fit properly over all major brands of industry-standard rubber insulating gloves and cuff styles
- ✓ Made using either a soft, flexible and strong grain goatskin leather or a durable, water-repellent grain cowhide leather to wear over rubber insulating gloves
- ✓ Voltgard Leather Protector Gloves feature either a shirred elastic back or nylon strap adjustment and non-metallic buckle to comfortably secure the gloves to the hands. Most low-volt styles feature a slip-on cuff for easy donning/doffing while high-voltage styles feature a hi-viz orange gauntlet cuff made of polymeric material that is easy to see and extends protection past the wrist
- ✓ Available in sizes 7-12, dual-sized, to fit whole and half sizes in rubber insulating gloves, i.e. - size 9 fits both 9 and 9 ½ rubber insulating gloves
- ✓ Meets ASTM Standard F696 for construction, design and materials used
- ✓ Low-voltage leather protector gloves are intended for use with Class 00 and 0 rubber insulating gloves, and high-voltage leather protector gloves are intended for use with Class 1, 2, 3 and 4 rubber insulating gloves

MINIMUM DISTANCE FROM PROTECTOR AND RUBBER GLOVE

Glove Class	Leather Protector Cuff
CUFF LINE	
00, 0	1/2 inch from cuff
1	1 inch from cuff
2	2 inches from cuff
3	3 inches from cuff
4	4 inches from cuff



VLP-110



VLP-110S



VLP-112



VLP-116

VLP-100 SERIES

GRAIN GOATSKIN LEATHER, GOLD

- VLP-110 Low-voltage, 10-inch length, shirred-elastic back (no strap)
- VLP-110S Low-voltage, 10-inch length, nylon strap back with non-metallic buckle
- VLP-110S4C Low-voltage, 12-inch length, hi-viz cuff, nylon strap back with non-metallic buckle
- VLP-112 High-voltage, 12-inch length, hi-viz cuff
- VLP-114 High-voltage, 14-inch length, hi-viz cuff
- VLP-116 High-voltage, 16-inch length, hi-viz cuff, contour cuff style

VLP-300 SERIES

WATER-REPELLENT GRAIN COWHIDE LEATHER, BEIGE

- VLP-310 Low-voltage, 10-inch length, shirred-elastic back (no strap)
- VLP-311 High-voltage, 11-inch length, hi-viz cuff
- VLP-312 High-voltage, 12-inch length, hi-viz cuff
- VLP-312SE High-voltage, 12-inch length, hi-viz cuff, shirred-elastic back (no strap)
- VLP-313 High-voltage, 13-inch length, hi-viz cuff
- VLP-314 High-voltage, 14-inch length, hi-viz cuff
- VLP-315 High-voltage, 15-inch length, hi-viz cuff
- VLP-316 High-voltage, 16-inch length, hi-viz cuff, contour cuff style



VLP-310



VLP-312



VLP-314



VLP-316



Do you know how to “Measure Up” your safety?

ASTM specifications require that the minimum distance between the edge of the rubber insulating glove cuff and the edge of the leather protector cuff is 1-inch for every 10,000 volts of A-C proof test.

Example:
A 20,000 volt (Class 2) 14-inch rubber glove needs a 12-inch or shorter leather protector.



WARNING Do not use leather gloves alone for protection against electric shock. Serious injury or death will result. Always use proper rubber insulating gloves.

205 HUEHL ROAD • NORTHBROOK, IL 60062 U.S.A.
E-MAIL: VOLTGARD@SAFTGARD.COM • www.saftgard.com
PHONE: 1-847-291-1600 • FAX: 1-847-291-1610

©2015 Saf-T-Gard International Inc.

SAF-T-GARD
International, Inc.